



COPY OF PAPERS
ORIGINALLY FILED

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D. C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/074,992	02/13/2002	William A. Burris	

CONFIRMATION NO. 6883

FORMALITIES LETTER



OC000000007778211

Steven R. Scott
Eugene S. Stephens & Associates
56 Windsor Street
Rochester, NY 14605

Date Mailed: 04/03/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE



0300

COPY OF PAPERS
ORIGINALLY FILED

**PATENT
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

APPLICANT(S): William A. Burris and Phillip M. Prinsen
APPLN. NO.: 10/074,992 **CONFIRMATION NO.:** 6883
FILED: 13 February 2002 **ART UNIT:** 1744
TITLE: OPERATORY WATER DISINFECTION SYSTEM

**RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION
PAPERS MAILED 03 APRIL 2002**

Assistant Commissioner for Patents
Office of Initial Patent Examination
Customer Service Center
Washington, DC 20231


Dear Sir:

A Notice to File Corrected Application Papers (copy attached) mailed 03 April 2002 indicates that the drawings submitted with the application do not have the proper margins and need to be resubmitted.

Substitute drawings having the appropriate margins as required are enclosed to be in compliance with 37 CFR 1.84(g).

For any questions on this, the Examiner is invited to call applicants' attorney at the number listed below.

Respectfully submitted,
EUGENE STEPHENS & ASSOCIATES


Steven R. Scott, Reg. No. 32,000
56 Windsor Street
Rochester, New York 14605
Phone: (585) 232-7700
Facsimile: (585) 232-7188
SRS:skd
Enclosures
Dated: MAY 23 2002

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited on the date shown below with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C., 20231.

Date of Deposit: MAY 23 2002

Signature: 